

**TC-0152-GRI**

V0

EASY Downlight recessed

Designer: Leds-C4

**Description**

Recessed for indoor use.


For downlighting. Ultra-thin design. Evenly distributed light flow. Structure material: Aluminium. Structure finish: Grey. Diffuser material: Acrylic. Diffuser finish: Opal. Warranty: 5 Years.

Finish

Grey
Opal

Material

Aluminium
Acrylic

**TECHNICAL CHARACTERISTICS****Light source**

Light source: LED MLS
Output (W): 4.6W
Total power consumption (W): 5.6W
Color temperature: Warm White - 3000K
Real Lumen: 398
Qty Leds: 30
Lm/Real W: 71
Life Time: 30.000h L70B30
Bin / Grup: 30-0A o 30-0B
UGR: 23.5

GEAR

Brand: LXD
Gear included: Yes, electronic
Voltage / Frequency:
100-240VAC/50-60Hz
Power Factor: 0.55
Flickering: 30




Luminaire

Recessed: No
Warranty: 5 Years


Logistics

Energy Efficiency: LED A++
EAN Code: 8435526864706
Net Weight (Kg): 0.185
Weight in Kg (packaged): 0.245
Packing: 150 x 45 x 125
Masterbox: 40

The photograph may not match the reference exactly. Please read the product description to identify the finish.





107x107





0-12mm

Scale 1:1



107x107mm



ES) BLOQUE DE CONEXIÓN A RED QUE SE DEBE UTILIZAR (no incluido):
EN) MAINS TERMINAL BLOCK REQUIRED (not included):
FR) BORNIER DE RACCORDEMENT AU RESEAU REQUIS (non inclus):
DE) NOTWENDIGE VERBINDUNGSDOSE FÜR DEN NETZANSCHLUSS (nicht inklusive):

