



## TC-0153-GRI

V0

### EASY Downlight recessed

Designer: Leds-C4



#### Description

Recessed for indoor use.


For downlighting. Ultra-thin design. Evenly distributed light flow. Structure material: Aluminium. Structure finish: Grey. Diffuser material: Acrylic. Diffuser finish: Opal. Warranty: 5 Years.

#### Finish

Grey  
Opal

#### Material

Aluminium  
Acrylic



#### TECHNICAL CHARACTERISTICS

##### Light source

Light source: LED MLS  
Output (W): 4.6W  
Total power consumption (W): 5,6W  
Color temperature: Neutral white - 4000K  
Real Lumen: 418  
Qty Leds: 30  
Lm/Real W: 75  
Life Time: 30.000h L70B30  
Bin / Grup: 40-0A o 40-0B  
UGR: 23.7

##### GEAR

Brand: LXD  
Gear included: Yes, electronic  
Voltage / Frequency:  
100-240VAC/50-60Hz  
Power Factor: 0.55  
Flickering: 30



##### Luminaire





Recessed: No  
Warranty: 5 Years

##### Logistics

Energy Efficiency: LED A++  
EAN Code: 8435526864713  
Net Weight (Kg): 0.185  
Weight in Kg (packaged): 0.245  
Packing: 150 x 45 x 125  
Masterbox: 40

The photograph may not match the reference exactly. Please read the product description to identify the finish.





ES) BLOQUE DE CONEXIÓN A RED QUE SE DEBE UTILIZAR (no incluido):  
EN) MAINS TERMINAL BLOCK REQUIRED (not included):  
FR) BORNIER DE RACCORDEMENT AU RESEAU REQUIS (non inclus):  
DE) NOTWENDIGE VERBINDUNGSDOSE FÜR DEN NETZANSCHLUSS (nicht inklusive):

