



## TC-0461-BLA

V0

### EASY Downlight recessed

Designer: Leds-C4




#### Description

Recessed for indoor use.

For downlighting. Ultra-thin design. Evenly distributed light flow. Structure material: Aluminium. Structure finish: Matt white. Diffuser material: Acrylic. Diffuser finish: Opal. Warranty: 5 Years.

**Finish**  
Matt white  
Opal

**Material**  
Aluminium  
Acrylic



#### TECHNICAL CHARACTERISTICS

##### Light source

Light source: LED MLS  
Output (W): 4.6W  
Total power consumption (W): 5.6W  
Color temperature: Cold White - 6000K  
Real Lumen: 398  
Qty Leds: 30  
Lm/Real W: 71  
Life Time: 30.000h L70B30  
Bin / Grup: 65-1,65-2  
UGR: 23.5

##### GEAR


Brand: LXD  
Gear included: Yes, electronic  
Voltage / Frequency:  
100-240VAC/50-60Hz  
Power Factor: 0.46  
Flickering: 30

##### Luminaire



Recessed: No  
Warranty: 5 Years



##### Logistics

Energy Efficiency: LED A++  
EAN Code: 8435526864744  
Net Weight (Kg): 0.185  
Weight in Kg (packaged): 0.245  
Packing: 150 x 45 x 125  
Masterbox: 40





The photograph may not match the reference exactly. Please read the product description to identify the finish.





107x107mm



ES) BLOQUE DE CONEXIÓN A RED QUE SE DEBE UTILIZAR (no incluido):  
EN) MAINS TERMINAL BLOCK REQUIRED (not included):  
FR) BORNIER DE RACCORDEMENT AU RESEAU REQUIS (non inclus):  
DE) NOTWENDIGE VERBINDUNGSDOSE FÜR DEN NETZANSCHLUSS (nicht inklusive):

